



WHO WE ARE?

We are leading business in the Hormonal anabolic products sector with a wilde stock of anabolic steroids designed to cover and fulfill the needs of teh most exigent user. We got a wide variety of products specially manufactured to meet the different needs of the Athletes. Each of our products is made with the highest standards of quality and ethics, having the certainty that you are using a product with a genuine active principles of the best quality in the world. We are a business with outstanding standards regarding the design and package of products as well as

the highest quality in active principles to create one of the most amazing lines of

anabolics steroids available in the market.

Our Lab specialize in formulation, analysis and development of new products under the investigation of expert athletes and body builders that applies innovation into the development of new products, with the purpose of being completely useful to the performance of the modern athlete taking him to accomplish his goals with the help of our new pharmaceutical forms.





NDC 0591-3265-82

Finaplix

Trenbolone Acetate 100 mg/ml

For I.M. use only



Formula: C₂₀H₂₄O₃ Molecular Mass: 312.4 g/mol

Active Half-Life: 3-4 Days

Anabolic Activity: 500%

Androgenic Activity: 500% Dosage: 300-500mg per week

Description: Trenbolone Acetate Is an incredibly fast acting form of the most effective drug ever manufactured. It is highly valued for its ability to increase muscle hardness, definition, and raw strength, without unwanted

water retention and fat mass gains



10ml Multi Dose Vial

NDC 0591-3245-52

Trenabol

Trenbolone Enanthate 200 mg/ml

For I.M. use only

Anabolic Activity: 500%

Rx Only (III



Formula: C₂₅H₃₄O₃ Molecular Mass: 382.54 g/mol

Androgenic Activity: 500%

Active Half-Life: 8-9 Days Dosage: 200-600mg per week

Description: Trenbolone Enanthate a long acting form of the most effective drug ever manufactured. It is highly valued for its ability to increase muscle hardness, definition, and raw strength, without unwanted water retention and fat mass gains. The form will provide you an outbursting power and strength among with substantial growth of quality muscle bulk within a lot of weeks!







NDC 0591-3259-98

Boldenan™

Boldenone Undecylenate 250

For I.M. use only

Rx Only (III Active Half-Life: 16-17 Days

Formula: C₃₀H₄₄O₃ Molecular Mass: 452.67 g/mol Anabolic Activity: 100% Androgenic Activity: 50%

Dosage: 400-1200mg per week

Description: Boldenone undecylenate is an injectable steroid that exhibits strong anabolic and moderately androgenic properties. The wellbalanced anabolic and androgenic properties of this drug are greatly appreciated by athletes, who want to enhance their result without strong side effects. Boldenone greatly stimulates hematopoiesis. Elevated levels of red blood cells improve oxygen delivery to the muscles. This makes this steroid attractive not only for bodybuilders, but also for track and field athletes. Among bodybuilders, Boldenone is appreciated not only for his ability to promote lean and dense muscle growth, but also for its peculiarity to significantly raise appetite and promote vascularity. Boldenone has an incredibly long active life, requiring less frequent injections and is often used as a part of very long cycles.



10ml Multi Dose Vial

NDC 0591-3257-69

Boldenan™

Boldenone Undecylenate

For I.M. use only



Formula: C₃₀H₄₄O₃ Molecular Mass: 452.67 g/mol Anabolic Activity: 100%

Active Half-Life: 16-17 Days Androgenic Activity: 50% Dosage: 400-1200mg per week

Description: Boldenone undecylenate is an injectable steroid that exhibits strong anabolic and moderately androgenic properties. The wellbalanced anabolic and androgenic properties of this drug are greatly appreciated by athletes, who want to enhance their result without strong side effects. Boldenone greatly stimulates hematopoiesis. Elevated levels of red blood cells improve oxygen delivery to the muscles. This makes this steroid attractive not only for bodybuilders, but also for track and field athletes. Among bodybuilders, Boldenone is appreciated not only for his ability to promote lean and dense muscle growth, but also for its peculiarity to significantly raise appetite and promote vascularity. Boldenone has an incredibly long active life, requiring less frequent injections and is often used as a part of very long cycles.







NDC 0591-3337-48

Decadura

Nandrolone Decanoate 250 mg/ml

For I.M. use only

Rx Only 🕕

250 mg/ml

Formula : $C_{28}H_{44}O_3$ Anabolic Activity : 125% Molecular Mass : 428.6472 g/mol

Androgenic Activity: 37%

Active Half-Life: 14-15 Days Dosage: 500-700mg per week

Description: Nandrolone Decanoate is considered to be a classic drug for muscle bulk gain. Due to significant retention of water in muscles during the cycle, bulk growth occurs to be significantly faster. Combines well with long esters of testosterone. With a half-life of around 6-7 days, it has slow release intended for long cycles.

10ml Multi Dose Vial
NDC 0591-3337-48
Decadura

Rx Only (1)

250
mg/ml

Decadura

For I.M. use only

Decadura

Rx Diagram

Rx Diagram

For I.M. use only

Decadura

For I.M. use only

For I.M. use only

Decadura

For I.M. use only

For I.M. use only

Decadura

For I.M. use only

For I.M. use only

Decadura

For I.M. use only

For I.M. use only

For I.M. use only

For I.M. use only

Decadura

For I.M. use only

For I.M.

10ml Multi Dose Vial

NDC 0591-3342-62

Decadura

Nandrolone Decanoate 400

For I.M. use only Rx Only

Molecular Mass : 428.6472 g/mol Active Half-Life : 14-15 Days

Formula : $C_{28}H_{44}O_3$ Anabolic Activity : 125%

Androgenic Activity: 37%

Dosage: 500-700mg per week

Description: Nandrolone Decanoate is considered to be a classic drug for muscle bulk gain. Due to significant retention of water in muscles during the cycle, bulk growth occurs to be significantly faster. Combines well with long esters of testosterone. With a half-life of around 6-7 days, it has slow release intended for long cycles.







NDC 0591-3356-23

Mastprop

Drostanolone Propionate 100 mg/ml

For I.M. use only Formula: C₂₀H₂₂O₃

Molecular Mass: 304.47 g/mol

Anabolic Activity: 62% Androgenic Activity: 25% Active Half-Life: 2-3 Days

Dosage: 300-500mg per week

Description: Drostanolone Propionate is one of the best drugs to get lean and dense muscles as for price-quality ratio. With a half-life of around 1-1.5 days, it is relatively much faster form of Drostanolone Enanthate and perfectly

suits for shorter and cutting cycles.



10ml Multi Dose Vial

NDC 0591-3354-85

Cypiomax

Testosterone Cypionate

For I.M. use only

Formula: C₂₇H₄₀O₃

Molecular Mass: 412.6 g/mol

Anabolic Activity: 100% Androgenic Activity: 100% Active Half-Life: 15-16 Days Dosage: 300-1500mg per week

Description: Testosterone Cypionate is one of the best mass building anabolics known to man and is a highly recommended as the base of any mass building cycle. Testosterone is responsible for promoting health and well-being through enhanced libido, energy, immunity, increased fat loss, gaining and maintaining lean muscle mass, preventing Osteoporosis (loss of bone density), and possible protection against heart disease. It combines excellently with many other compounds both oral and injectable as part of a potent stack.







NDC 0591-3369-45

Testaveron

Testosterone Enanthate 250

For I.M. use only

Rx Only (III

Formula: C26H40O3

Anabolic Activity: 100%

Molecular Mass: 400.59 g/mol

Androgenic Activity: 100%

Active Half-Life: 7-8 Days

Dosage: 250-1500mg per week

Description: Testosterone Enanthate is one of the best mass building anabolics known to man and is a highly recommended as the base of any mass building cycle. Testosterone is responsible for promoting health and well-being through enhanced libido, energy, immunity, increased fat loss, gaining and maintaining lean muscle mass, preventing Osteoporosis (loss of bone density), and possible protection against heart disease. It combines excellently with many other compounds both oral and injectable as part of a potent stack.



10ml Multi Dose Vial

NDC 0591-3354-32

Propiomax

Testosterone Propionate 100 mg/ml

For I.M. use only



Formula: C₂₂H₃₂O₃ Molecular Mass: 344.49 g/mol Anabolic Activity: 100%

Active Half-Life: 2-4 Days Androgenic Activity: 100% Dosage: 200-700mg per week

Description: Testosterone Propionate it is highly recommended as the base of both mass building and cutting cycles. Testosterone is responsible for promoting health and well-being through enhanced libido, energy, immunity, increased fat loss, gaining and maintaining lean muscle mass, preventing Osteoporosis (loss of bone density), and possible protection against heart disease. It combines excellently with many other compounds both oral and injectable (preferably short esters) as part of a potent stack.







NDC 0591-3275-96

Aquatren

Trenbolone Suspension

For I.M. use only Formula: C₁₈H₂₂O₂

Anabolic Activity: 500%

Molecular Mass: 270.372 g·mol-1

Androgenic Activity: 500%

Active Half-Life: 3 Days

Dosage: 100-150 mg per week

Description: Trenbolone Suspension is a 19-nortestosterone (Nandrolone) derivative that's suspended in a waterbased solution for injection. Aquatren is basically nandrolone with 2 added double bonds within the nucleus. It is a steroid that has high anabolic and androgenic effects of 5 times greater than testosterone. It has no estrogenic activity but does possess high progestogenic activity.



10ml Multi Dose Vial

NDC 0591-3156-99

Hexabol™

Trenbolone Hexahydrobenzylcarbonate 76.5

Rx Only (III

For I.M. use only

Formula: C₂₆H₃₄O₄

Molecular Mass: 410.55 g/mol

Active Half-Life: 6-7 Days Dosage: 100-300mg per week

Anabolic Activity: 500% Androgenic Activity: 500%

Description: Trenbolone hexahydrobenzylcarbonate is a synthetic, injected anabolic-androgenic steroid (AAS) of

the nandrolone group and an androgen ester – specifically, the C17 β hexahydrobenzylcarbonate

(cyclohexylmethylcarbonate) ester of trenbolone – which was marketed in France for medical use in humans but has since been discontinued.







NDC 0591-3352-46

StanajectTM

Stanozolol For I.M. use only

Anabolic Activity: 320%

Formula: C₂₁H₃₂N₂O Molecular Mass: 328.49 g/mol

Active Half-Life: 7-8 Days Androgenic Activity: 30% Dosage: 300-600mg per week

NDC 0591-3365-10

Description: stanozolol is a man-made steroid, similar to the a naturally occurring steroid testosterone. stanozolol is used in the treatment of hereditary angioedema, which causes episodes of swelling of the face, extremities, genitals, bowel wall, and throat. stanozolol may decrease the frequency and severity of these attacks.



10ml Multi Dose Vial

Primo-Depot^m

Methenolone Enanthate 100

For I.M. use only Formula: C₂₇H₄₂O₃

Molecular Mass: 414.6 g/mol

Anabolic Activity: 88% Androgenic Activity: 44% Active Half-Life: 5-6 Days

Dosage: 300-400mg per week

Description: Methenolone Enanthate is a moderate anabolic but very low androgenic steroid that is incredibly versatile. It is often stacked with other (typically stronger) steroids in order to obtain a faster and more enhanced effect. Primobolan Depot will be suitable during both cutting cycles and bulk cycles; in both cases it will be responsible for the faster recovery and growth of lean and dense muscle mass.







NDC 0591-3364-37

Testomix

Testosterone Propionate 30 mg/ml
Testosterone Phenylpropionate 60 mg/ml
Testosterone Isocaproate 60 mg/ml
Testosterone Decanoate 100 mg/ml



For I.M. use only

Active Half-Life: 7-8 Days Anabolic Activity: 100% Androgenic Activity: 100% Dosage: 300-1500mg per week

Description: All forms of testosterone are responsible for promoting health and well-being through enhanced libido, energy, immunity, increased fat loss, gaining and maintaining muscle mass, preventing Osteoporosis (loss of bone density), and possible protection against heart disease. It combines excellently with many other compounds both oral and injectable as part of a potent stack.

Rx Only (III



10ml Multi Dose Vial

NDC 0591-3156-64

Bulkmass

Testosterone Enanthate 200 mg/ml Nandrolone Decanoate 150 mg/ml Trenbolone Enanthate 150 mg/ml



For I.M. use only

Rx Only 🕕

Formula : $C_{26}H_{40}O_{3}$, $C_{28}H_{44}O_{3}$, $C_{25}H_{34}O_{3}$ Molecular Mass : 400.59 g/mol, 428.6472 g/mol, 382.54 g/mol Active Half-Life : 8-10 Days Dosage : 400-600mg per week

Description: Bulkmass for extreme gain of muscles in bulk. Bulkmass is not recommended for the beginners.







NDC 0591-3052-33

Cutmix

Testosterone Propionate 150 mg/ml Trenbolone Acetate 75 mg/ml Drostanolone Propionate 75 mg/ml



For I.M. use only

Rx Only 🕕

Formula : $C_{22}H_{32}O_3$, $C_{20}H_{24}O_3$, $C_{20}H_{32}O_2$

Molecular Mass: 344.49 g/mol, 312.4 g/mol, 304.47 g/mol

Active Half-Life: 2-3 Days

Dosage: 150-600mg per week

Description: Cutmix is a blend of trenbolone acetate 50 mg, testosterone propionate 50 mg and drostanolone propionate 50 mg injection. It is a unique mixure of trenbolone, testosterone and drostanolone to loss of body weight and getting impeccably ripped.



10ml Multi Dose Vial

NDC 0591-3345-22

Bulkonan

Testosterone Cypionate 200 mg/ml Boldenone Undecylenate 150 mg/ml Nandrolone Decanoate 150 mg/ml



For I.M. use only

Rx Only 🕕

Formula: $C_{27}H_{40}O_{3}$, $C_{30}H_{44}O_{3}$, $C_{28}H_{44}O_{3}$ Molecular Mass: 412.6 g/mol, 452.67 g/mol, 428.6472 g/mol Active Half-Life: 15-16 Days Dosage: 300-500 mg per week, 400-1200mg per week, 500-700mg per week

Description: Bulkonan is a blend of three drugs, which makes this product a great complex to gain the bulk. It is Suitable to both beginners and professionals.







NDC 0591-3547-21

Mixtren

Trenbolone Acetate 50 mg/ml Trenbolone Enanthate 100 mg/ml Trenbolone Hexahydrobenzylcarbonate 50 mg/ml For I.M. use only



Formula: C₁₈H₂₂O₂ Molecular Mass: 270.372 g/mol Active Half-Life: 3-4 Days Dosage: 150-600mg per week

Description: Mixtren is a combination of three essential anabolic steroids Trenbolone Acetate, Trenbolone Enanthate, and Trenbolone Hexahydrobenzylcarbonate. Trenbolone is without a doubt, the most powerful injectable anabolic steroid used by bodybuilders to gain muscle. It is veterinary medicine, specifically to increase the profitability of livestock by promoting muscle growth in cattle. Trenbolone is an excellent mass and hardening drug with the majority of gains being muscle fiber, with minimal water retention. Trenbolone enanthate is a steroid that is typically used by bodybuilders for bulking phases. Although, it can be used in cutting phases too. It increases the levels of IGF-1 in muscle over twofold, it also causes muscle satellite cells to be more sensitive to IGF-1 and other growth factors.



10ml Multi Dose Vial

NDC 0591-3340-77

$\mathsf{NPP}^{^{\mathsf{TM}}}$

Nandrolone phenylpropionate 100 mg/ml



For I.M. use only

Rx Only (III

Formula: C₂₇H₃₄O₃

Molecular Mass: 406.566 g/mol Active Half-Life: 2-7 Days

Dosage: 50-100 mg per week is recommended for women & 100-200 mg per week for men.

Description: Nandrolone Phenylpropionate derived from nandrolone is a 3-phenylpropionate ester that has anabolicandrogen properties. It was majorly used for the treatment of breast cancer and osteoporosis in adult women. At the same time, men with testosterone levels use it to gain masculinity, change in voice. Nandrolone Phenylpropionate, also known as NPP, is a long-lasting prodrug that is really convenient for usage.







NDC 0591-3855-02

Rx Only (III

TestobaseTM

Testosterone Suspension

For I.M. use only

Formula: C₁₉H₂₈O₂ Molecular Mass: 288.431 g/mol

Active Half-Life: 2-4 hours Dosage: 50-100 mg Description: Testobase is a steroid sex hormone found in both men and women. In men, Testobase is produced primarily by the

Leydig (interstitial) cells of the testes when stimulated by luteinizing hormone (LH). It functions to stimulate spermatogenesis, promote physical and functional maturation of spermatozoa, maintain accessory organs of the male reproductive tract, support development of secondary sexual characteristics, stimulate growth and metabolism throughout the body and influence brain development by stimulating sexual behaviors and sexual drive.









NDC 0591-5687-21







Oxandrolone Tablets U.S.P

Formula: C₁₉H₃₀O₃ Molecular Mass: 306.44 g/mol Active Half-Life: 8-10 Hours Anabolic Activity: 400% Androgenic Activity: 25% Dosage: 50-100mg per day

Description: Oxandrolone is an oral 17-alpha-alkylated steroid, modification of dihydrotestosterone. It was firstly synthesized for the treatment of debilitated HIV-infected patients, for persons with Turner syndrome, anaemia, for bones strengthening and recovery from burns. Oxandrolone does not yield to aromatization and is not estrogenic itself. This drug is beloved by athletes, who prepares for competition in strength and endurance sports, where lean muscle without water and fat are needed. Oxandrolone cycle won't help athletes gain colossal muscle volumes; however, it is a perfect compound for getting rid of fat and giving the body a more relief look. Despite the fact that anavar is 17-alpha-alkylated, it causes gentle toxic impact on the liver. Researches have shown that taking oxandrolone at 20 mg per day for twelve weeks did not cause statistically important raise in AST and ALT. So, oxandrolone side effects show very rare, though oxandrolone results are also not significant. It is probably the mildest and safest oral steroid available today for sale, hence, it is perfect for the first acquaintance with anabolic steroids.





NDC 0591-7866-73





Formula: C₂₁H₃₂O₃ Anabolic Activity: 320% Molecular Mass: 332.48 g/mol

Active Half-Life: 14 Hours

Androgenic Activity: 45%

Dosage: 50-100mg per day

Description: Oxymetholone is a synthetic anabolic steroid used in the treatment of osteoporosis, anaemia, and as an agent to stimulate muscle growth in malnourished or underdeveloped patients. Anabolic-androgenic steroids (AAS), such as oxymetholone, have been abused by bodybuilders and athletes.







NDC 0591-5486-65



Cytomol-T3TM Rx Only @

Liothyronine Sodium Tablets B.P



Formula: C1₅H₁₂I₃NO₄ Molecular Mass: 672.95 g/mol Active Half-Life: 2-4 Days Dosage: 25-75 mcg per day

Description: Thyroid hormone drugs are natural or synthetic preparations containing tetraiodothyronine (T4, levothyroxine) sodium or triiodothyronine (T3, liothyronine) sodium or both. T4 and T3 are produced in the human thyroid gland by the iodination and coupling of the amino acid tyrosine. T4 contains four iodine atoms and is formed by the coupling of two molecules of diiodotyrosine (DIT). T3 contains three atoms of iodine and is formed by the coupling of one molecule of DIT with one molecule of monoiodotyrosine (MIT). Both hormones are stored in the thyroid colloid as thyroglobulin.





NDC 0591-3472-78

Briclean Rx Only @



Clenbuterol HCL Tablets B.P

Formula: C₁₂H₁₈Cl₂N₂O Molecular Mass: 277.19 g/mol Active Half-Life: 4-5 Hours Dosage: 40-60 mcg per Day

Description: Clenbuterol hydrochloride is a hydrochloride that is the monohydrochloride salt of clenbuterol. It has a role as a bronchodilator agent, a beta-adrenergic agonist and a sympathomimetic agent. It contains a clenbuterol(1+). A substituted phenylaminoethanol that has beta-2 adrenomimetic properties at very low doses.








NDC 0591-0142-56









Formula : $C_{20}H_{28}O_2$ Molecular Mass : 300.44 g/mol Active Half-Life : 6-7 Hours Dosage : 20-40 mg per Day

Description: Methandienone has the effect of decreasing the steroid's affinity for sex hormone binding globulin. As a result, methandrostenolone is significantly more active than an equivalent quantity of testosterone, resulting in rapid growth of muscle tissue. However, the concomitant elevation in estrogen levels – a result of the aromatization of methandrostenolone – results in significant water retention. Hence, do not forget to perform blood works and use an aromatase inhibitor. In summary, this is a very good drug, and a potent tool for quick gains or retaining gains when used properly and safely.



10/5 blisters



NDC 0591-3044-46

StanabolTM Rx Only @

Stanozolol Tablets U.S.P



 $\label{eq:continuous} Formula: C_{21}H_{32}N_2O \qquad \qquad Molecular \ Mass: 328.49 \ g/mol$ $\ Active \ Half-Life: 7-8 \ Hours \qquad \qquad Dosage: 40-60 \ mcg \ per \ Day$

Description: Stanozolol is a man-made steroid, similar to the a naturally occurring steroid testosterone. Stanozolol is used in the treatment of hereditary angioedema, which causes episodes of swelling of the face, extremities, genitals, bowel wall, and throat. Stanozolol may decrease the frequency and severity of these attacks.







NDC 0591-3314-65



Anazole Rx Only @



Anastrozole Tablets U.S.P

Formula: $C_{17}H_{19}N_5$ Molecular Mass: 293.37 g/mol

Active Half-Life: 40-50 Hours

Description: Anastrozole is in a class of medications called nonsteroidal aromatase inhibitors. It works by decreasing the amount of estrogen the body makes. This can slow or stop the growth of many types of breast cancer cells that need estrogen to grow.



NDC 0591-5678-12





Proviron

Rx Only 🕕



Mesterolone Tablets U.S.P

Formula: $C_{20}H_{32}O_2$ Molecular Mass: 304.47 g/mol

Active Half-Life: 12-13 Hours

Description: Mesterolone is a synthetic anabolic-androgenic steroid (AAS) and derivative of dihydrotestosterone (DHT). It is inactivated by 30-hydroxysteroid dehydrogenase in skeleta muscules so it is considered a weak androgen. It is not a substrate for aromatase so it is not converted into estrogen.







NDC 0591-7876-63









Tablets U.S.P

Formula: C₂₀H₂₇ClO₂ Molecular Mass: 334.88 g/mol

Active Half-Life: 16 Hours

Description: 4-Chlorodehydromethyltestosterone, sold under the brand name Turinabol, is an anabolic steroid developed in the 1960s, a highly competitive time for the Olympics and national level sports, the East German experts were looking for effective steroids that would circumvent these sports' drug testing policies.



NDC 0592-2256-73











Formula: C₂₆H₂₈CINO Molecular Mass: 405.96 g/mol

Active Half-Life: 5-6 Days

Description: Clomiphene is used to induce ovulation (egg production) in women who do not produce ova (eggs) but wish to become pregnant (infertility). Clomiphene is in a class of medications called ovulatory stimulants. It works similarly to estrogen, a female hormone that causes eggs to develop in the ovaries and be released.







NDC 0592-2165-95



Camofen

Rx Only 👊



Tamoxifen Citrate Tablets U.S.P



Formula: C₂₆H₂₉NO Molecular Mass: 371.51 g/mol

Active Half-Life: 5-7 Days

Description: Tamoxifen Citrate is used to treat certain types of breast cancer in women and men, to prevent invasive breast cancer in women who have had ductal carcinoma in situ (abnormal cells in the ducts of the breast), and to prevent breast cancer in women who are at a high risk of developing the disease.



NDC 0591-5468-56





Halotestin



Fluoxymesterone Tablets U.S.P

Formula: C₂₀H₂₉FO₃ Molecular Mass: 336.447 g·mol-1 Active Half-Life: 9.2 Hours

Description: Fluoxymesterone is used to treat symptoms of low testosterone in adult men who have hypogonadism (a condition in which the body does not produce enough natural testosterone). Fluoxymesterone is used only for men with low testosterone levels caused by certain medical conditions, including disorders of the testicles, pituitary gland, (a small gland in the brain) or hypothalamus (a part of the brain) that cause hypogonadism. Fluoxymesterone is also used to stimulate puberty in men with delayed puberty. Fluoxymesterone may also be used alone or along with other medications in certain women with breast cancer that has spread to other parts of the body and can not be removed with surgery.









For enquiry : **∞** info@british-pharma.com For Sale : **∞** sales@british-pharma.com

